

Northland Chemical Corp.

P.O. Box 508 • Lakeville, MN 55044

Phone:952-469-1155

Fax:952-469-1164



Exclusive Distributors of

Green TreeTM Chemicals

by Northland

MATERIAL SAFETY DATA SHEET

N/A = Not Applicable

(Prepared According to 29 CFR 1910.1200)

Effective Date 8/2/03

Section 1 - PRODUCT IDENTIFICATION

Product Name: .Spring Dew
Generic Name: .Metered air freshener
Suppliers Name: NORTHLAND CHEMICAL CORP.
Suppliers Address: 11380 250th Street East Lakeville, MN 55044

Chemical Family: N/A
Formula:N/A
Phone:952-469-1155
Emergency:800-255-3924

NPCA Hazardous Materials Identification

Health	1
Flammability	2
Reactivity	1
Maximum Personal Protection	A

Section 2 - INGREDIENTS

CHEMICAL NAME	CAS NO.	OSHA PEL	ACGIH TLV
Ethyl Alcohol	64-17-5	1000 PPM	1000 PPM
Glycol Ether DE	111-90-0	NE	NE
Propane/N-Butane	68476-86-8	1000 PPM	600 PPM

Section 3 - PHYSICAL DATA

Boiling Point: 180°F
Vapor Pressure: 20
Vapor Density(Air = 1): >1
Solubility in Water: 96%

Specific Gravity(water=1): 0.88
Melting/Freezing Point: N/A
Evaporation Rate: >1
(Butyl Acetate =1)

Appearance and Odor: Clear spray, fresh scent.

Section 4 - FIRE AND EXPLOSION DATA

Flash Point (Method Used): 138°F
Flammable Limits: LEL:2 UEL: 27
Extinguishing Media: Standard chemical fire extinguisher.
Special Fire Fighting Procedures: Wear self-contained breathing apparatus whenever indicated.
Unusual Fire and Explosion Hazards: Flammable. Contents under pressure. Exposure to temperatures above 120°F may cause bursting.

Section 5 - REACTIVITY DATA

Stability: Stable
Conditions to Avoid: Temperatures above 120°F.
Incompatibility (Materials to Avoid): Strong alkalis. High temperatures in the presence of strong bases.
Acids. Strong oxidizing agents.
Hazardous Decomposition or Byproducts: Carbon dioxide and/or carbon monoxide.

Hazardous Polymerization: Will not occur.
Temperatures above 120°F.

Section 6 - STORAGE AND HANDLING INFORMATION

Precautions to be Taken in Handling and Storage:
Do not use or store near heat or open flame.
Exposure to temperatures above 120° may cause bursting.
Exposure to temperatures above 120°F may cause bursting.

Section 7 - HEALTH HAZARDS AND FIRST AID

Effects of Overexposure:

Primary Routes of Entry:

Skin:Mild irritation.

Eyes:Strong irritation reddening.

Ingestion:N/A

Inhalation: Excessive exposure may cause slight dizziness..

First Aid Procedures:

Eyes:Flush with water for 15 minutes.

Inhalation:Remove to fresh air.

Skin:Wash with soap and water. Contact physician if irritation persists.

Ingestion:N/A

Chronic Effects on Humans:

Repeated skin exposure can produce local skin destruction, or dermatitis.

Section 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection:N/A

Protective Gloves:N/A

Ventilation:Local exhaust: Adequate.

Eye Protection:Safety glasses are recommended when using chemical products.

Work/Hygienic Practices:Wash hands after use.

Other:N/A

Section 9 - SPILL OR LEAK PROCEDURES

Steps to be Taken in Case Material is Released or Spilled:

Wipe up with rag or use some absorbent clay material.

Waste Disposal Method:

Dispose of residue in accordance with federal, state and local environmental guidelines. Do not puncture or incinerate container. Do no reuse container. Wrap container and place in trash collection.